



RENTAL



LIVE & STAGING




THEATRE

4Rent

More configurations in just one kit

SCREENLINE



Choose your kit:

16:9		
Kit 5 in 1		
①	244 x 137	get 1 size
②	305 x 172	get 2 sizes
③	366 x 206	get 3 sizes
④	427 x 240	get 4 sizes
⑤	488 x 275	get 5 sizes

16:10		
Kit 5 in 1		
①	244 x 153	get 1 size
②	305 x 191	get 2 sizes
③	366 x 229	get 3 sizes
④	427 x 267	get 4 sizes
⑤	488 x 305	get 5 sizes

4:3		
Kit 5 in 1		
①	244 x 183	get 1 size
②	305 x 229	get 2 sizes
③	366 x 275	get 3 sizes
④	427 x 320	get 4 sizes
⑤	488 x 366	get 5 sizes


Fast New frame with arrow borders. Easily installed thanks to the snap-on fabric positioned inside the dedicated groove, replacing the slow installation of the old eyelet frames.

Adjustable 3 fixing grooves allow coping with the stretching and shrinking of the fabric.

Clean No more spots or abrasions on the fabric. Now the placement of the fabric is made side up.

Strong the aluminum structure along with high-resistance junction guarantee long life to the screen, precision and reliability. The frame corner at 92° ensures a perfect hold of the profile preventing it from naturally bending due to the gravity force.

Arrow border : 3 grooves



Frame assembly



Fabric assembly



Purchase options:

4 Rent Kit: heavy case + chosen size frame + chosen size fabric + stands + eyebolts

4 Rent soft bag: soft bag + chosen size frame + chosen size fabric + stands adaptor + eyebolts

4 Rent segments: segments kit to complete the possible configurations

Surface options:



Accessories:



Eyebolts

Made of stainless steel, they are suitable for steel chains or other supports for installations on truss structures or others



Stands Adaptor

Allow the installation of all the models present on the market.



Stands

Designed for positioning the screen on the floor, they are made of matt, anti-reflex, high-resistance aluminium with black finish (3 cm section). The extension is obtained by rotating the upper profile which features some holes to anchor the screen at different levels. The floor anchoring is possible thanks to the horizontal segments which can be lowered separately and blocked by special reinforcement 45° joints.

The product comes with PVC locking screws with black butterfly knobs. Once it is closed, it is light and compact for easy transportation.

