



KRAMER

BC-DGKat7a23

Four-Pair S/FTP Data Bulk Cable (23AWG)



Kramer's BC-DGKat7a23 is a 4-pair S/FTP (braided shield around foiled twisted pair) cable designed as the ideal companion to Kramer's twisted pair digital transmitter-receiver sets to provide optimum range and performance. The cable is optimized for the new 10GBase-T applications as defined in IEEE 802.3an and for PoE+

FEATURES

Quality Construction - 4 individually aluminum-foil shielded twisted pairs (S/FTP), cabled with a drain conductor and overall braid-shielded

Optimized for Kramer Hardware - Use with any of Kramer's wide range of twisted pair digital transmitter-receiver sets. Terminate with shielded RJ-45 connectors

Length - Available in pull boxes of 100/305m (328/1000ft)



KRAMER

TECHNICAL SPECIFICATIONS

CONSTRUCTION	Conductor Size: 23AWG bare solid copper Total Wires: 8 Internal Shield Material: Aluminum poly foil Drain Wire: Solid 0.41mm (0.016in) tinned copper Overall Shield Material: Tinned-copper braid Conductor Color Code: White/blue, white/orange, white/green, white/brown
DIAMETERS	Outside Diameter: 8.1mm nominal
ELECTRICAL	Frequency Range: 1 to 1200MHz Propagation Delay Skew: 20ns/100m max Velocity of Propagation: 80% nominal Impedance: 100 Ω DC Resistance: 65 Ω /km (21 Ω /1000ft) @20°C nominal Max Resistance Unbalanced: 2% Capacitance: 1.2pF/m max Temperature: -40° to +65°C (-40° to 149°F) Attenuation (dB per 100ft): -1.8dB @1MHz -4.9dB @10MHz -15.7dB @100MHz -27.8dB @300MHz -40.0dB @600MHz -52.7dB @1000MHz
REGULATORY	Standards: IEC 61156, ISO/IEC 11801, RoHS 2011/65/EU



KRAMER

CONFIGURATIONS

BC-DGKat7a23-100M 23 AWG STP Bulk Cable Optimized for Kramer DVI & HDMI Products

BC-DGKat7a23-305M 23 AWG STP Bulk Cable Optimized for Kramer DVI & HDMI Products
