

## Highlights:

- Warm & true to nature sound
- Weatherproof - IP55 rating
- Countless mounting possibilities
- Diverse connections possibilities
- High grade aluminum construction
- 70V/100V transformer option available

"A sound that lasts"

The VIRO is a powerful 2-way performance speaker which is designed for outdoor and indoor use, ensuring true-to-nature, high fidelity reproduction of music and speech in every environment, ranging from residential applications to the most demanding outdoor applications in parks, hotels and even clubs.

Crafted in high-grade aluminium with incredible attention to detail. The material choice goes well beyond aesthetics. It also provides superior acoustic properties thanks to its material stiffness and seamless surfaces that eliminate any distortion of your sound.

The aluminium construction and grill with hydrophobic cloth provides the necessary protection for all weather conditions. The combination of the cloth, sealing rubbers and drainage holes on the bottom of the speaker make it IP55 compliant.

Exchange your connections easily. From cable glands with rubber grommets to optional SpeakON connections and even an optional 70/100V transformer (TRV106).



## Certification:

---



## Properties:

---



## Impedance:

---



## Voltage:

---



## System specifications:

---

|                            |  |
|----------------------------|--|
| Peak power handling        | 240 W                                      |
| Program power handling     | 120 W                                      |
| RMS/AES power handling     | 60 W                                       |
| Impedance                  | 8 $\Omega$ (VIRO5)<br>16 $\Omega$ (VIRO5D) |
| Sensitivity (1W/1m)        | 89 dB                                      |
| Sound Pressure (Max. W/1m) | 110 dB                                     |
| Drivers                    | 2-way 5 1/4" Coaxial                       |

## Product Features:

---

|              |          |  |
|--------------|----------|--|
| Construction |          | Powder coated aluminium                |
| Front finish |          | Aluminium grill with hydrophobic cloth |
| Colours      |          | White (RAL9003) (VIRO5/W & VIRO5D/W)   |
|              |          | Black (RAL9004) (VIRO5/B & VIRO5D/B)   |
| Dimensions   |          | 198 x 235 x 191 mm (W x H x D)         |
| Weight       |          | 4.2 kg                                 |
| Accessories  | Optional | TRV106 70-100V transformer module      |
|              |          | CVS102 SpeakON connection plate        |
|              |          | MBK523/G Ground pin                    |
|              |          | MBK530 Pole mount                      |